

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("370".clas.) and pipelining and pointers and criterion and nibble and ((classification or routing) adj (device or controller or unit)) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:51
S2	0	("370".clas.) and pipelining and pointers and criterion and nibble and ((classification or routing) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:52
S3	0	pipelining and pointers and criterion and nibble and ((classification or routing) adj (device or controller or unit)) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:52
S4	1	pipelining and pointers and nibble and ((classification or routing) adj (device or controller or unit)) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:52
S5	182	pipelining and pointers and nibble and (classification or routing) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:53
S8	1	S5 and "370".clas.	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:54
S9	0	S5 and "455".clas.	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:54
S10	25	S5 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:58
S11	26	S5 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 09:59
S12	28	pipelining and criterion and nibble and (classification or routing) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:43
S13	25	S12 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:44
S14	28	pipelining and criterion and nibble and (classification or routing) and parse and pointers	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:45
S15	25	S14 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:45
S16	28	S14 and hierarch\$4	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:47
S17	0	S14 and (hierarch\$4 adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:48
S18	0	S14 and (hierarch\$4 near4 table)	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:48
S19	1	S14 and (hierarch\$4 with table)	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:48

EAST Search History

S23	185	pipelin\$4 and criter\$4 and nibble and (classif\$7 or rout\$4) and parse and pointers	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:05
S24	27	S23 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:05
S25	189	criter\$4 and nibble and (classif\$7 or rout\$4) and parse and pointers	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:08
S26	28	S25 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:08
S27	0	S26 and (match\$4 same polic\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:16
S28	0	criter\$4 and nibble and (classif\$7 or rout\$4) and (packet adj parse\$4) and pointers	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:03
S29	151	(classif\$7 or rout\$4) and (packet adj parse\$4) and pointers	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:03
S30	111	S29 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:03
S31	100	S30 and "370".clas.	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:03
S32	0	S29 and (match\$4 with string\$3 with polic\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:06
S33	0	S29 and ((match\$4 or map\$4 or compare\$4) with string\$3 with polic\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:06
S34	9	S29 and ((match\$4 or map\$4 or compare\$4) with (string\$3 or word or packet) with polic\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/07 15:06
S35	1	("7187694").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/07 15:22
S36	2039	((generat\$4 or creat\$4) near4 pointer\$4) and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 17:04
S37	42	((generat\$4 or creat\$4) near4 pointer\$4 near4 current) and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 17:04
S38	8	((generat\$4 or creat\$4) near4 pointer\$4 near4 current) and criter\$4 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.))	US-PGPUB; USPAT	OR	OFF	2008/04/07 17:09
S39	182	pipelining and pointers and nibble and (classification or routing) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/07 17:16

EAST Search History

S40	26	S39 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/07 17:16
S41	182	pipelining and pointers and nibble and (classification or routing) and parse	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:30
S42	0	S41 and (("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and (compar\$4 near4 string near4 entr\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:30
S43	4	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and (compar\$4 near4 string near4 entr\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:31
S44	4	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and (compar\$4 with string with entr\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:36
S45	521	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:50
S46	9	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and ((multiple or plurality) near4 stages)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:50
S47	31	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and ((multiple or plurality or multi) near4 stage\$2)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:54
S48	11	((("7187694") or ("6529508") or ("7295576") or ("20020163935") or ("7142540") or ("7292586") or ("7195030") or ("7236492") or ("6781601") or ("6226291") or ("7293113")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/08 12:00
S49	5	S48 and search	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:01
S50	5	S48 and (search or (look adj up))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:01
S51	31	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and search\$4 and ((multiple or plurality or multi) near4 stage\$2)	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:04
S52	31	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and (search\$4 or (look adj up)) and ((multiple or plurality or multi) near4 stage\$2)	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:07

EAST Search History

S53	16	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 stage\$2))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:35
S54	113	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:46
S55	160	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (generat\$4 or creat\$4 near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:50
S56	102	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (generat\$4 or creat\$4 near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)) and repeat\$4	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:51
S57	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (generat\$4 or creat\$4 near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)) and (repeat\$4 with stage)	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:51
S58	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (generat\$4 or creat\$4 near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)) and repeat\$4 and score	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:52
S59	65	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (generat\$4 or creat\$4 near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)) and repeat\$4 and ((generat\$4 or creat\$4 or writ\$4) near4 (value or number or score))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:57

EAST Search History

S60	3	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((generat\$4 or creat\$4) near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (stage\$2 or table\$2)) and repeat\$4 and ((generat\$4 or creat\$4 or writ\$4) near4 (value or number or score)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 12:58
S61	3	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((generat\$4 or creat\$4) near4 pointer) and (search adj engine) and ((search\$4 or (look adj up)) with table\$4) and ((multiple or plurality or multi) near4 (table\$2)) and repeat\$4 and ((generat\$4 or creat\$4 or writ\$4) near4 (value or number or score)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:03
S62	3	S61 and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:55
S63	5	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (entry with criterion with pointer)	US-PGPUB; USPAT	OR	OFF	2008/04/08 14:12
S64	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (entry with criterion with pointer) and (increment with (packet or word or string)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 17:46
S65	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (entry with criterion with pointer) and (increment\$4 with (packet or word or string)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 17:46
S66	187	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (entry and criterion and pointer) and (increment\$4 with (packet or word or string)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 17:48
S67	7075	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((score or value or number) with (match or equal or correspond\$4) with (stage\$4 or table\$4)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:46
S68	123	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((score or value or number) with (match or equal or correspond\$4) with (stage\$4 or table\$4)) and (select\$4 with (polic\$4 or rule\$4) with (score or value or number)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:47

EAST Search History

S69	29	S68 and pointer and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:48
S70	3	((("20030231630") or ("6587463") or ("6707817"))).PNL	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/08 19:25
S71	0	S70 and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:25
S72	0	S48 and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:26
S73	0	S68 and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:26
S75	0	S41 and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:27
S76	0	S45 and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:27
S77	40	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:28
S78	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (hierarchical adj table) and pointer and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:28
S79	6	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (hierarchical adj table) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:28
S80	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((hierarchical adj table) with (rule\$4 or polic\$4)) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:29
S81	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((hierarchical adj table) with (rule\$4 or polic\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:30
S82	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((hierarchical adj table) with (rule\$4 or polic\$4 or criteri\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:30
S83	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and boolean and (relation\$4 near4 operation\$4) and (string near4 operation\$4) and (set near4 operation\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/09 10:59
S84	8	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (pointer with hash\$4 with string)	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:06
S85	0	S84 and nibble and PDU	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:11

EAST Search History

S86	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (pointer same nibble same PDU))	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:19
S87	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (string same nibble same PDU))	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:22
S88	1	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (string same (nibble or PDU)) and nibble and PDU)	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:25
S89	13	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and string and nibble and PDU)	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:26
S90	3	(S84 or S89 or S86) and IPv4	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:55
S91	40	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (hierarchical adj table))	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:55
S92	0	S91 and IPv4	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:55
S93	8	((("6721316") or ("5917821") or ("20020009090") or ("6606681") or ("20030191740") or ("6687247") or ("5835740") or ("6014659")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/09 13:58
S94	4	S93 and IPv4	US-PGPUB; USPAT	OR	OFF	2008/04/09 13:58
S95	3705	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and decrement\$4	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:42
S96	854	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and decrement\$4 and resum\$4	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:42
S97	63	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and decrement\$4 and (resum\$4 near4 step)	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:43
S98	6	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and decrement\$4 and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:43
S99	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 near4 former near4 group) and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:25

EAST Search History

S10 0	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 near4 former near4 group) and (resum\$4 near4 step)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:25
S10 1	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 with former with group)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:26
S10 2	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 near4 previous near4 group) and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:26
S10 3	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 with previous with group) and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:26
S10 4	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 with previous with group) and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:26
S10 5	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 with previous) and (resum\$4 near4 step) and criterion	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:27
S10 6	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4 with previous) and (resum\$4 near4 step)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:27
S10 7	50	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and pointer and (revert\$4) and (resum\$4 near4 step)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:28
S10 8	21	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((depth adj (value or number or counter)) with increment\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:55
S10 9	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((depth adj (value or number or counter)) with increment\$4 with (terminat\$4 or end or exceed\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:57
S11 0	3	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (((depth adj (value or number or counter)) with increment\$4) same (terminat\$4 or end or exceed\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:58

EAST Search History

S11 1	4	((("6522667") or ("20030043809") or ("6611522") or ("6618378"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/09 17:05
S11 2	5	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (((depth adj (value or number or counter or queue)) with increment\$4) same (terminat\$4 or end or exceed\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/09 17:09
S11 3	32	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (((depth adj (value or number or counter or queue)) with (grow\$4 or differential or increas\$4 or rise or accretion or raise or boost or gain or accumulat\$4 or complement or amplif\$5 or broaden\$4 or suppl\$4 or accrue or swell or increment\$4)) same (terminat\$4 or end or exceed\$4))	US-PGPUB; USPAT	OR	OFF	2008/04/09 17:13
S11 4	18	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 near4 table) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold)	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:32
S11 5	4	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 near4 table) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:32
S11 6	46	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 with (table or stage)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:35
S11 7	40	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 with (table or queue)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:40
S11 8	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 adj hierarch\$4 adj (table or queue)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:45

EAST Search History

S11 9	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 adj hierarch\$4 adj (table or queue)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold)	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:45
S12 0	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 adj hierarch\$4 adj (table or queue))	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:45
S12 1	6	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (intermediat\$4 near4 hierarch\$4 near4 (table or queue))	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:46
S12 2	236	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((mean or middle or between or mesne or mediate or limbo or central or intermedia\$5) with (table or queue)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:49
S12 3	187	S122 and "370".clas.	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:54
S12 4	123	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and ((mean or middle or between or mesne or mediate or limbo or central or intermedia\$5) near4 (table)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:57
S12 5	1129312	("370".clas.)\ and ((mean or middle or between or mesne or mediate or limbo or central or intermedia\$5) near4 (table)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:57
S12 6	104	("370".clas.) and ((mean or middle or between or mesne or mediate or limbo or central or intermedia\$5) near4 (table)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:57
S12 7	104	("370".clas.) and ((mean or middle or between or mesne or mediate or limbo or central or intermedia\$5) near4 (table)) and ((predetermin\$4 or assign\$4 or config\$4) near4 (score or number or value) near4 threshold) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 18:58
S12 8	0	("370".clas.) and (last adj hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:55

EAST Search History

S12 9	0	("370".clas.) and (last adj hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:55
S13 0	0	("370".clas.) and ((last or final) adj hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:56
S13 1	0	("370".clas.) and ((last or final) near4 hierarchical adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:56
S13 2	1275	("370".clas.) and ((last or final) near4 table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:57
S13 3	58	("370".clas.) and ((last or final) adj table)	US-PGPUB; USPAT	OR	OFF	2008/04/09 19:57
S13 4	502	("370".clas.) and ((last or final) near4 table) and router	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:02
S13 5	0	("370".clas.) and (((last or final) adj table) same router)	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:02
S13 6	8	("370".clas.) and (((last or final) adj table) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:02
S13 7	44	("370".clas.) and (((last or final or end) adj table) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:04
S13 8	43	("370".clas.) and (((last\$4 or final\$4 or ultimat\$4 or terminal\$4) adj table) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:07
S13 9	12	("370".clas.) and (((last\$4 or final\$4 or ultimat\$4) adj table) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:08
S14 0	498	("370".clas.) and (((last\$4 or final\$4 or ultimat\$4) adj (table or queue or stage)) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:10
S14 1	297	("370".clas.) and (((last\$4) adj (table or queue or stage)) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:10
S14 2	293	("370".clas.) and (((last\$4) adj (queue or stage)) same (router or switch or device or node or computer))	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:11
S14 3	85	("370".clas.) and (((last\$4) adj (queue or stage)) same (router or switch or device or node or computer)) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:11
S14 4	22	("370".clas.) and (((last\$4) adj (queue or stage)) same (router or switch or device or node or computer)) and pointer and (rules or polic\$4)	US-PGPUB; USPAT	OR	OFF	2008/04/09 20:11
S14 5	20	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370".clas.)) and (hierarchical adj tables))	US-PGPUB; USPAT	OR	OFF	2008/04/09 21:46

EAST Search History

S14 6	3	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370". clas.)) and (hierarchical adj tables) and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 21:47
S14 7	5	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370". clas.)) and (hierarchical adj tables) and parent and child	US-PGPUB; USPAT	OR	OFF	2008/04/09 21:48
S14 8	0	((("375".clas.) or ("379.clas") or ("725".clas.) or ("714.clas") or ("340".clas.) or ("370". clas.)) and (hierarchical adj tables) and parent and child and pointer	US-PGPUB; USPAT	OR	OFF	2008/04/09 21:48